











ATA Drop In serija












Drop in Series












Drop in serija

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K8GCU05</p>	a 657	26	0,20	9,1	7824,5	31067	-
	b 410						
h 254							
Plinsko kuhalo s 2 plamenika							
 <p>K8GCU10</p>	a 657	48	0,31	18,2	15649,1	62135	-
	b 810						
h 254							
Plinsko kuhalo sa 4 plamenika							
 <p>K8ECU05</p>	a 657	18	0,20	-	-	-	5,2
	b 410						
h 254							
Električno kuhalo s 2 okrugle ploče							
 <p>K8ECU10</p>	a 657	31	0,31	-	-	-	10,4
	b 810						
h 254							
Električno kuhalo sa 4 okrugle ploče							
 <p>K8ECU05Q</p>	a 657	21	0,20	-	-	-	5,2
	b 410						
h 254							
Električno kuhalo s 2 kvadratne ploče							

Drop in serija

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K8ECU10Q	a	657	0,31	-	-	-	10,4
	b	810					
h	254						
Električno kuhalo s 4 staklokeramičke ploče							
 K8EVC05	a	657	0,20	-	-	-	4,6
	b	410					
h	254						
Električno kuhalo s 2 staklokeramičke ploče							
 K8EVC10	a	657	0,31	-	-	-	9,2
	b	810					
h	254						
Električno kuhalo sa 4 staklokeramičke ploče							
 K8ECI05	a	657	0,25	-	-	-	10
	b	410					
h	254						
Kuhalo s 2 indukcijske ploče							










Drop in serija

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K8EFL05R</p>	a 657	30	0,20	-	-	-	5
	b 410						
h 254							
Električni roštilj s glatkom pločom od niskougličnog čelika							
 <p>K8EFL050</p>	a 657	30	0,20	-	-	-	5
	b 410						
h 254							
Električni roštilj s glatkom pločom od miješanog čelika							
 <p>K8EFR05R</p>	a 657	30	0,20	-	-	-	5
	b 410						
h 254							
Električni roštilj s rebrastom pločom od niskougličnog čelika							
 <p>K8EFL10R</p>	a 657	60	0,31	-	-	-	10
	b 810						
h 254							
1M električni roštilj s glatkom pločom od niskougličnog čelika							

Drop in serija

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K8EFL100	a 657	60	0,31	-	-	-	10
	b 810						
h 254							
1M električni roštilj s glatkom pločom od miješanog čelika							
 K8EFR10R	a 657	62	0,31	-	-	-	10
	b 810						
h 254							
1M električni roštilj s ½ glatkom pločom i ½ rebrastom pločom od niskougličnog čelika							
 K8EFR100	a 657	62	0,35	-	-	-	10
	b 810						
h 254							
1M električni roštilj s ½ glatkom pločom i ½ rebrastom pločom od miješanog čelika							
 K8EBR05	a 657	38	0,20	-	-	-	4,5
	b 410						
h 254/300							
Električna višenamjenska nagibna tava za pečenje 12 l							

Drop in serija

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K8EBM05	a 657 b 410 h 254/480	14	0,23	-	-	-	1
Električna toplovodna kupka s jednim bazenom							
 K8EFG07	a 657 b 410 h 360/520	30	0,23	-	-	-	15
Električna friteza s dva bazena - 9 + 9 l							
 K8EFG05	a 657 b 410 h 360/520	29	0,25	-	-	-	15
Električna friteza s jednim bazenom - 15 l							
 K8EFG10	a 657 b 810 h 360/520	47	0,46	-	-	-	30
Električna friteza s dva bazena 15 lt. + 15 l							

