

1100 Dodaci

Model					Opis
	mm	Kg	m ³	kW	
 K1RIP05	a 365 b 920 h 40	4	0,01	-	Polica ½ modul
 K1RIP10	a 920 b 865 h 40	7,5	0,03	-	Polica 1 modul
 K1PFR	a 80 b - h 55	-	-	-	Polica(cijena po metru, max 2,70 metara)
 K1ZP	a 870 b - h 161	-	-	-	Podnožje s perimetarskom zaštitom (cijena/mt.)
 K26227	a - b - h -	0,5	-	-	Redukcijska rešetka
 K26374	a 850 b 530 h 27	-	-	-	Rešetka za pećnicu
 K9COLL	a 95 b 175 h 600	5,5	0,02	-	Vodeni stup

1100 Dodaci

Model					Opis
	mm	Kg	m ³	kW	
 K25017	a 350 b 420 h 38	12	-	-	Glatka ploča
 K25018	a 350 b 420 h 38	12	-	-	Rebrasta ploča
 K26019	a - b - h -	0,4	-	-	Strugalica za roštilj
 K9LMLS	a - b - h -	-	-	-	10 nastavka za strugalicu glatke ploče
 K9LMRG	a - b - h -	-	-	-	10 nastavka za strugalicu rebraste ploče
 K9LMRGC	a - b - h -	-	-	-	10 nastavka za strugalicu rebraste ploče od miješanog
 K26024	a - b - h -	0,25	-	-	Teflonski čep za roštilj s drvenom ručkom

1100 Dodaci

Model					Opis
	mm	Kg	m ³	kW	
 K0EAV05	a 280 b 310 h 92	5	0,02	2	Grijač
 K90030	a 530 b 330 h 100	-	-	-	1/1 GN spremnik za ladicu
 K1AVI05	a - b - h -	-	-	-	Prolazna higijenska baza za ormarić ½ modul
 K1AVI07	a - b - h -	-	-	-	Higijenska baza za ormarić (bočna jedinica)
 K1AVI07BR	a - b - h -	-	-	-	Higijenska baza za ormarić za fiksne nagibne tave za pečenje (bočna jedinica)
 K1AVI10	a 350 b 420 h 38	12	-	-	Prolazna higijenska baza za ormarić 1 modul
 K11121	a - b - h -	0,4	-	-	Jedinica za zatvaranje