










700 Performance

Električna kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K7ECU05TT</p>	a 700	22	0,20	-	-	-	5,2
	b 400						
h 250							
Električno kuhalo s 2 ploče, gornja jedinica							
 <p>K7ECU05VV</p>	a 700	34	0,43	-	-	-	5,2
	b 400						
h 850							
Električno kuhalo s 2 ploče + otvoreni ormarić							
Izborno K7PORTA Vrata							
 <p>K7ECU10TT</p>	a 700	40	0,36	-	-	-	10,4
	b 800						
h 250							
Električno kuhalo s 4 ploče, gornja jedinica							
 <p>K7ECU10VV</p>	a 700	49	0,78	-	-	-	10,4
	b 800						
h 850							
Električno kuhalo s 4 ploče + otvoreni ormarić							
Izborno K7PORTA Vrata							










700 Performance

Električna kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7ECU10FF	a 700	85	0,78	-	-	-	15,8
	b 800						
h 850							
Električno kuhalo s 4 ploče + električna pečnica 2/1 GN							
 K7ECU10FV	a 700	95	0,78	-	-	-	14
	b 800						
h 850							
Električno kuhalo s 4 ploče + električna ventilaciona pečnica 1/1 GN							
 K7ECU15TT	a 700	68	0,52	-	-	-	15,6
	b 1200						
h 250							
Električno kuhalo s 6 ploča, gornja jedinica							
 K7ECU15VV	a 700	80	1,11	-	-	-	15,6
	b 1200						
h 850							
Električno kuhalo s 6 ploča + otvoreni ormarić							
Izorno K 7PORTA Vrata							

700 Performance

Električna kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7ECU15FF	a 700 b 1200 h 850	135	1,11	-	-	-	21
Električno kuhalo s 6 ploča + električna pečnica 2/1 GN + ormarić s vratima							
 K7ECU15FV	a 700 b 1200 h 850	132	1,11	-	-	-	19,2
Električno kuhalo s 6 ploča + električna ventilaciona pečnica 1/1 GN + ormarić s vratima							
 K7ECU05TTQ	a 700 b 400 h 250	22	0,20	-	-	-	5,2
Električno kuhalo s 2 ploče, gornja jedinica							
 K7ECU05VVQ	a 700 b 400 h 850	34	0,43	-	-	-	5,2
Električno kuhalo s 2 ploče + otvoreni ormarić							
Izorno K7PORTA Vrata							

700 Performance

Električna kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K7ECU10TTQ</p>	a 700	42	0,36	-	-	-	10,4
	b 800						
h 250							
Električno kuhalo s 4 ploče, gornja jedinica							
 <p>K7ECU10VVQ</p>	a 700	50	0,78	-	-	-	10,4
	b 800						
h 850							
Električno kuhalo s 4 ploče + otvoreni ormarić							
Izborno K7PORTA Vrata							
 <p>K7ECU10FFQ</p>	a 700	105	0,78	-	-	-	15,8
	b 800						
h 850							
Električno kuhalo s 4 ploče + električna pećnica 2/1 GN							
 <p>K7ECU10FVQ</p>	a 700	103	0,78	-	-	-	14
	b 800						
h 850							
Električno kuhalo s 4 ploče + električna ventilaciona pećnica 1/1 GN							



700 Performance

Električna kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K7ECU15TTQ</p>	a 700	70	0,52	-	-	-	15,6
	b 1200						
h 250							
Električno kuhalo s 6 ploča, gornja jedinica							
 <p>K7ECU15VVQ</p>	a 700	80	1,11	-	-	-	15,6
	b 1200						
h 850							
Električno kuhalo s 6 ploča + otvoreni ormarić							
Izborno K7PORTA Vrata							
 <p>K7ECU15FFQ</p>	a 700	147	1,11	-	-	-	21
	b 1200						
h 850							
Električno kuhalo s 6 ploča + električna pećnica 2/1 GN + ormarić s vratima							
 <p>K7ECU15FVQ</p>	a 700	144	1,11	-	-	-	19,2
	b 1200						
h 850							
Električno kuhalo s 6 ploča + električna ventilaciona pećnica 1/1 GN + ormarić s vratima							

700 Performance

Električna kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7ERU10TT	a 700 b 800 h 270	80	0,36	-	-	-	10
	Električno kuhalo s 4 ploče, gornja jedinica						
 K7ERU10VV	a 700 b 800 h 850	102	0,78	-	-	-	10
	Električno kuhalo s 4 ploče + otvoreni ormarić						
Izborno K7PORTA Vrata							
 K7ERU10FV	a 700 b 800 h 850	143	0,78	-	-	-	13,65
	Električno kuhalo s 4 ploče + električna ventilaciona pećnica 1/1 GN						