

700 Performance

Neutralne jedinice

Model							
	mm	Kg	m³	kW	kcal/h	Btu/h	kW
 K7NNE02TT	a 700 b 200 h 250	10	0,20	-	-	-	-
Gornja jedinica							
 K7NNE02VV	a 700 b 200 h 850	20	0,43	-	-	-	-
Gornja jedinica + otvoreni ormarić							
 K7NNE05TT	a 700 b 400 h 250	16	0,20	-	-	-	-
Gornja jedinica							
 K7NNE05VV	a 700 b 400 h 850	31	0,43	-	-	-	-
Gornja jedinica + otvoreni ormarić							
Izorno K7PORTA Vrata							

700

Performance

Neutralne jedinice

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7NNC05TT	a 700 b 400 h 250	20	0,20	-	-	-	1
Gornja jedinica s ladicom							
 K7NNC05VV	a 700 b 400 h 850	35	0,43	-	-	-	-
Gornja jedinica s ladicom + otvoreni ormarić							
Izborno K7PORTA Vrata							
 K7NNE10TT	a 700 b 800 h 250	46	0,36	-	-	-	-
Gornja jedinica							
 K7NNE10VV	a 700 b 800 h 850	60	0,78	-	-	-	-
Gornja jedinica + otvoreni ormarić							
Izborno K7PORTA Vrata							

700 Performance

Neutralne jedinice

Model							
	mm	Kg	m³	kW	kcal/h	Btu/h	kW
	a 700 b 800 h 250	50	0,36	-	-	-	-
K7NNC10TT	Gornja jedinica s ladicama						
	a 700 b 800 h 850	64	0,78	-	-	-	-
K7NNC10VV	Gornja jedinica s ladicama + otvoreni ormarić						
	Izborno K7PORTA Vrata						
	a 615 b 394 h 460	-	-	-	-	-	-
K7ACASS2	Ugradna dupla ladica						