

700
Performance

Električni roštilji s upuštenom pločom za pečenje

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7EFB05TTL	a 700 b 400 h 250	38	0,20	-	-	-	5
½ modul, glatka ploča, gornja jedinica							

 K7EFB05TTR	a 700 b 400 h 250	38	0,20	-	-	-	5
½ modul, rebrasta ploča							

 K7EFB05VVL	a 700 b 400 h 850	45	0,43	-	-	-	5
½ modul, glatka ploča + otvoreni ormarić							
Izborno K7PORTA Vrata							

 K7EFB05VVR	a 700 b 400 h 850	45	0,43	-	-	-	5
½ modul, rebrasta ploča+otvoreni ormarić							
Izborno K7PORTA Vrata							

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7EFB10TTL	a 700 b 800 h 250	65	0,36	-	-	-	10
1 modul, glatka površina, gornja jedinica							
 K7EFB10TTR	a 700 b 800 h 250	65	0,36	-	-	-	10
1 modul, ploča 1/2 glatka 1/2 rebrasta							
 K7EFB10VVL	a 700 b 800 h 850	77	0,78	-	-	-	10
1 modul ,glatka površina + otvoreni ormarić							
Izborno K7PORTA Vrata							
 K7EFB10VVR	a 700 b 800 h 850	77	0,78	-	-	-	10
1 modul + otvoreni ormarić, ploča 1/2 glatka 1/2 rebrasta							
Izborno K7PORTA Vrata							

Model							
	mm	Kg	m³	kW	kcal/h	Btu/h	kW
 K7GFB05TTL	a 700 b 400 h 250	40	0,20	7	6019	23898	-
½ modul ,glatka ploča, gornja jedinica							
 K7GFB05TTR	a 700 b 400 h 250	40	0,20	7	6019	23898	-
½ modul ,rebrasta ploča ,gornja jedinica							
 K7GFB05VVL	a 700 b 400 h 850	48	0,43	7	6019	23898	-
½ modul ,glatka ploča + otvoreni ormarić							
Izborno K7PORTA Vrata							
 K7GFB05VVR	a 700 b 400 h 850	48	0,43	7	6019	23898	-
½ modul ,rebrasta ploča + otvoreni ormarić							
Izborno K7PORTA Vrata							

700

Performance

Plinski roštilji s upuštenom pločom za pečenje

Model							
	mm	Kg	m³	kW	kcal/h	Btu/h	kW
 K7GFB10TTL	a 700 b 800 h 250	68	0,36	14	12038	47796	-
1 modul ,glatka ploča ,gornja jedinica							
 K7GFB10TTR	a 700 b 800 h 250	68	0,36	14	12038	47796	-
1 modul, 1/2 glatka 1/2 rebrasta ploča							
 K7GFB10VVL	a 700 b 800 h 850	80	0,78	14	12038	47796	-
1 modul glatka ploča + otvoreni ormarić							
Izborno K7PORTA Vrata							
 K7GFB10VVR	a 700 b 800 h 850	80	0,78	14	12038	47796	-
1 modul sa otvorenim ormarićem , 1/2 glatka 1/2 rebrasta ploča							
Izborno K7PORTA Vrata							