










700 Performance

Plinska kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7GCU05TT	a 700	31	0,20	9,1	7824,5	31067	-
	b 400						
	h 250						
Plinsko kuhalo s 2 plamenika, gornja jedinica							
Standard Ladica plamenika od nehrđajućeg čelika							
 K7GCU05VV	a 700	42	0,43	9,1	7824,5	31067	-
	b 400						
	h 850						
Plinsko kuhalo s 2 plamenika + otvoreni ormarić							
Standard Ladica plamenika od nehrđajućeg čelika							
Izborno K7PORTA Vrata							
 K7GCU10TT	a 700	58	0,36	18,2	15649,1	62135	-
	b 800						
	h 250						
Plinsko kuhalo s 4 plamenika, gornja jedinica							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 22,6 K7GCU10TTP							
 K7GCU10VV	a 700	71	0,78	18,2	15649,1	62135	-
	b 800						
	h 850						
Plinsko kuhalo s 4 plamenika + otvoreni ormarić							
Standard Ladica plamenika od nehrđajućeg čelika							
Izborno K7PORTA Vrata							
Verzija visoke snage kW 22,6 K7GCU10VVP							






700 Performance

Plinska kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K7GCU15TT</p>	a 700	80	0,55	27,3	23473,6	93202	-
	b 1200						
	h 250						
Plinsko kuhalo s 6 plamenika ,gornja jedinica							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 34,2 K7GCU15TTP							
 <p>K7GCU15VV</p>	a 700	100	1,11	27,3	23473,6	93202	-
	b 1200						
	h 850						
Plinsko kuhalo s 6 plamenika + otvoreni ormarić							
Standard Ladica plamenika od nehrđajućeg čelika							
Izorno K7PORTA Vrata Verzija visoke snage kW 34,2 K7GCU15VVP							
 <p>K7GCU10FF</p>	a 700	115	0,78	25,75	22141	87910	-
	b 800						
	h 850						
Plinsko kuhalo s 4 plamenika + plinska pećnica 2/1 GN							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 30,15 K7GCU10FFP							
 <p>K7MCU10FF</p>	a 700	130	0,78	18,2	15649,1	62135	5,4
	b 800						
	h 850						
Plinsko kuhalo s 4 plamenika + električna pećnica 2/1 GN							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 22,6 + 5,4 K7MCU10FFP							








700 Performance

Plinska kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K7MCU10FV	a 700	112	0,78	18,2	15649,1	62135	3,6
	b 800						
h 850							
Plinsko kuhalo s 4 plamenika + električna ventilaciona pećnica 1/1 GN							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 22,6 + 3,6 K7MCU10FVP							
 K7GCU15FF	a 700	155	1,11	34,85	29965,6	118978	-
	b 1200						
h 850							
Plinsko kuhalo s 6 plamenika + plinska pećnica 2/1 GN + ormarić s vratima							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 41,75 K7GCU15FFP							
 K7MCU15FF	a 700	155	1,11	27,3	23473,6	93202	5,4
	b 1200						
h 850							
Plinsko kuhalo s 6 plamenika + električna pećnica 2/1 GN + ormarić s vratima							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 34,2 + 5,4 K7MCU15FFP							

700 Performance

Plinska kuhala

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K7MCU15FV</p>	a 700	152	1,11	27,3	23473,6	93202	3,6
	b 1200						
h 850							
Plinsko kuhalo s 6 plamenika + električna ventilaciona pećnica 1/1 GN + ormarić s vratima							
Standard Ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 34,2 + 3,6 K7MCU15FVP							
 <p>K7GCU15FFM</p>	a 700	177	1,11	40,3	34651,8	137584	-
	b 1200						
h 850							
Plinsko kuhalo s 6 plamenika + plinska pećnica 105x53 cm							
Standard Ladica plamenika od nehrđajućeg čelika							