






























900 Plinske toplovodne kupke

Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 <p>K9GBM05TT</p>	a 900	46	0,27	4	3430	13650	-
	b 450						
h 250							
Jedan bazen 1/1 + 1/3 GN, gornja jedinica							
 <p>K9GBM05VV</p>	a 900	56	0,60	4	3430	13650	-
	b 450						
h 850							
Jedan bazen 1/1 + 1/3 GN + otvoreni ormarić							
Izborno K9PORTA Vrata							
 <p>K9GBM10TT</p>	a 900	50	0,50	6	5160	20470	-
	b 900						
h 250							
Gornja jedinica 2x(1/1+1/3) GN							
 <p>K9GBM10VV</p>	a 900	77	1,08	6	5160	20470	-
	b 900						
h 850							
Gornja jedinica 2x(1/1+1/3) GN + otvoreni ormarić							
Izborno K9PORTA Vrata							





900 Električne toplovodne kupke





Model							
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW
 K9EBM05TT	a 900	40	0,33	-	-	-	1,8
	b 450						
h 250							
Jedan bazen 1/1+1/3 GN, gornja jedinica							
 K9EBM05VV	a 900	53	0,60	-	-	-	1,8
	b 450						
h 850							
Jedan bazen 1/1+1/3 GN + otvoreni ormarić							
Izorno K9PORTA Vrata							
 K9EBM10TT	a 900	52	0,50	-	-	-	3,6
	b 900						
h 250							
Gornja jedinica 2x(1/1+1/3) GN							
 K9EBM10VV	a 900	68	1,08	-	-	-	3,6
	b 900						
h 850							
Gornja jedinica 2x(1/1+1/3) GN + otvoreni ormarić							
izorno K9PORTA Vrata							





900 Dodaci za toplovodne kupke


Model								Opis
	mm	Kg	m ³	kW	kcal/h	Btu/h	kW	
 K90024	a 325 b 530 h 150	-	-	-	-	-	-	1/1 GN spremnik od nehrđajućeg čelika s poklopcem
 K90025	a 176 b 325 h 150	-	-	-	-	-	-	1/3 GN spremnik od nehrđajućeg čelika s poklopcem
 K90027	a 176 b 162 h 150	-	-	-	-	-	-	1/6 GN spremnik od nehrđajućeg čelika s poklopcem
 K90028	a 352 b 325 h 150	-	-	-	-	-	-	2/3 GN spremnik od nehrđajućeg čelika s poklopcem
 K90029	a 325 b 265 h 200	-	-	-	-	-	-	1/2 GN spremnik od nehrđajućeg čelika s poklopcem
 K90329	a 696 b 85 h 16	-	-	-	-	-	-	Separator za toplovodnu kupku 720 mm
 K90339	a 336 b 20 h 11	-	-	-	-	-	-	Separator za toplovodnu kupku 325 mm

900 Toplovodne kupke mogućnosti

			
<p>8 x K90027 (1/6 GN) 3 x K90339</p>	<p>6 x K90027 (1/6 GN) 1 x K90025 (1/3 GN) 3 x K90339</p>	<p>4 x K90027 (1/6 GN) 2 x K90025 (1/3 GN) 2 x K90339</p>	<p>2 x K90027 (1/6 GN) 3 x K90025 (1/3 GN) 1 x K90339</p>

			
<p>4 x K90025 (1/3 GN)</p>	<p>4 x K90027 (1/6 GN) 1 x K90028 (2/3 GN) 2 x K90339</p>	<p>2 x K90027 (1/6 GN) 2 x K90029 (1/2 GN) 1 x K90339</p>	<p>2 x K90027 (1/6 GN) 1 x K90028 (2/3 GN) 1 x K90025 (1/3 GN) 1 x K90339</p>

			
<p>2 x K90027 (1/6 GN) 1 x K90024 (1/1 GN) 1 x K90339</p>	<p>2 x K90025 (1/3 GN) 1 x K90028 (2/3 GN)</p>	<p>1 x K90024 (1/1 GN) 1 x K90025 (1/3 GN)</p>	<p>1 x K90025 (1/3 GN) 2 x K90029 (1/2 GN)</p>


<p>2 x K90028 (2/3 GN)</p>

Mogućnosti konfiguracije