

900 Dodaci

Model					Opis
	mm	Kg	m ³	kW	
 K9AV105	a 775 b 373 h 473	-	-	-	Higijenska baza za ormarić ½ modul
 K9AV110	a 775 b 823 h 473	-	-	-	Higijenska baza za ormarić 1 modul
 K0EAV05	a 280 b 310 h 92	5	0,02	2	Grijači
 K9COLL	a 95 b 175 h 600	5,5	0,02	-	Vodeni stup
 K9CALL	a 65,5 b 544 h 935	18	0,16	-	Ventilacijska kapa 500 mm
 K9CAL3	a 65,5 b 344 h 935	15	0,13	-	Ventilacijska kapa 300 mm
 K9CPAL	a 185 b 544 h 1120	23	0,32	-	Regulator propuha 500 mm
 K9CPAS	a 185 b 344 h 1120	20	0,27	-	Regulator propuha 300 mm
 K9CA150L	a 65,5 b 544 h 200	6	0,02	-	Ventilacijska kapa h.150 500 mm
 K9CA150S	a 65,5 b 344 h 200	5	0,02	-	Ventilacijska kapa h.150 300 mm
 K9CA400L	a 65,5 b 544 h 440	8	0,02	-	Ventilacijska kapa h.400 mm.500

900 Dodaci

Model					Opis
	mm	Kg	m ³	kW	
 K9CA400S	a 65,5 b 344 h 440	7	0,01	-	Ventilacijska kapa h.400 mm.300
 K9RGVN	a - b - h -	3,5	-	-	Dva držača rešetke
 K9RIP05	a 795 b 365 h 40	3,5	0,01	-	Polica 1/2 modul
 K9RIP10	a 795 b 815 h 40	6,5	0,03	-	Polica 1 modul
 K26003	a 530 b 650 h 67	2	-	-	Rešetka za pećnicu
 K26309	a 530 b 1045 h 69	2	-	-	Maxi rešetka za pećnicu
 K26227	a - b - h -	0,5	-	-	Redukcijska pećnica
 K25017	a 350 b 420 h 38	12	-	-	Glatka ploča
 K25018	a 350 b 420 h 38	12	-	-	Rebrasta ploča
 K26019	a - b - h -	0,4	-	-	Strugalica za roštilj
 K9LMLS	a - b - h -	-	-	-	10 nastavaka za strugalicu glatke ploče

900 Dodaci

Model					Opis
	mm	Kg	m ³	kW	
 K9LMRG	a - b - h -	-	-	-	10 nastavka za strugalicu rebraste ploče
 K9LMFB	a - b - h -	-	-	-	10 nastavka za strugalicu rebraste ploče od compound
 K26024	a - b - h -	0,25	-	-	Teflonski čep za roštilj s drvenom ručkom
 K26450	a - b - h -	0,40	-	-	Teflonski čep za roštilj s drvenom ručkom
 K9GRC05	a 702 b 449 h 178	9,5	0,1	-	Čelična rešetka za meso za roštilj sa vulkanskim kamenjem
 K9GRC10	a 702 b 899 h 178	15,5	0,2	-	Čelična rešetka za meso za roštilj sa vulkanskim kamenjem

900 Dodaci

Model					Opis
	mm	Kg	m ³	kW	
 K9GRP05	a 705 b 449 h 178	13,5	0,1	-	Čelična rešetka za ribu za roštilj sa vulkanskim kamenjem ½ modul
 K9GRP10	a 705 b 899 h 178	25	0,2	-	Čelična rešetka za ribu za roštilj sa vulkanskim kamenjem 1 modul
 K9GRM10	a 705 b 899 h 178	20	0,2	-	Čelična rešetka za meso i ribu za roštilj s vulkanskim kamenjem 1 modul
 K9GRC05M	a 810 b 449 h 178	10	0,1	-	Pomična čelična rešetka za meso za roštilj s vulkanskim kamenjem ½ modul
 K9GRP05M	a 810 b 449 h 178	14,5	0,1	-	Pomična čelična rešetka za ribu za roštilj s vulkanskim kamenjem ½ modul
 K20091	a - b - h -	5	-	-	Vulkansko kamenje 5 kg
 K90030	a 530 b 330 h 100	-	-	-	1/1 GN spremnik za ladicu
 K9PONTE10	a - b 900 h -	5	0,10	-	Mosna struktura 1 modul

900 Dodaci

Model					Opis
	mm	Kg	m³	kW	
 K9PONTE15	a - b 1350 h -	7,5	0,15	-	Mosna struktura 1 modul 1,5 modul
 K9PONTE20	a - b 1800 h -	9	0,20	-	Mosna struktura 1 modul 2 modul
 K9PFR10 K9PFR15 K9PFR25 K9PFR30	a 80 b 900 h 55 b 1350 b 2250 b 2700	-	-	-	Polica za tanjure
 K9PFR--	a 1350 b 2250 h 2700	-	-	-	Polica za tanjure (cijena po metru, max 2,70 metara)
 K9ZP10 K9ZP20	a 787 b 899 h 161 b 1799	-	-	-	Podnožje s perimetarskom zaštitom
 K9ZP	a 787 b - h 161	-	-	-	Podnožje s perimetarskom zaštitom (cijena/mt.)

900 Dodaci

Model					Opis
 K9TRAVE15	a 300 b 1350 h 900	100	-	-	Konzola s pločom od nehrđajućeg čelika 1,5 modul
 K9TRAVE20	a 300 b 1800 h 900	125	-	-	Konzola s pločom od nehrđajućeg čelika 2 modul
 K9TRAVE25	a 300 b 2250 h 900	150	-	-	Konzola s pločom od nehrđajućeg čelika 2,5 modul
 K9TRAVE15 + K9TRAVE15	a 300 b 2700 h 900	200	-	-	Konzola s pločom od nehrđajućeg čelika 3 modul
 K9TRAVE15 + K9TRAVE20	a 300 b 3150 h 900	225	-	-	Konzola s pločom od nehrđajućeg čelika 3,5 modul
 K9TRAVE20 + K9TRAVE20	a 300 b 3600 h 900	250	-	-	Konzola s pločom od nehrđajućeg čelika 4 modul
 K9TRAVE20 + K9TRAVE25	a 300 b 4050 h 900	275	-	-	Konzola s pločom od nehrđajućeg čelika 4,5 modul
 K9PIEDE	a 630 b 203 h 110	18	-	-	Nivelirajuća nogica