

# 900 Električni roštilji s udubljenom pločom za pečenje

| Model                                                                                                        |  |  |  |    |  |       |  |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|
|                                                                                                              | mm                                                                                | Kg                                                                                | m <sup>3</sup>                                                                    | kW | kcal/h                                                                              | Btu/h | kW                                                                                  |
| <br><br><b>K9EFB05TTL</b>   | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 250                                      | 59                                                                                | 0,3                                                                               | -  | -                                                                                   | -     | 7                                                                                   |
|                                                                                                              | ½ modul, glatka ploča, gornja jedinica                                            |                                                                                   |                                                                                   |    |                                                                                     |       |                                                                                     |
| <br><br><b>K9EFB05TTR</b>  | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 250                                      | 59                                                                                | 0,3                                                                               | -  | -                                                                                   | -     | 7                                                                                   |
|                                                                                                              | ½ modul, rebrasta ploča, gornja jedinica                                          |                                                                                   |                                                                                   |    |                                                                                     |       |                                                                                     |
| <br><br><b>K9EFB05VVL</b> | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 850                                      | 72                                                                                | 0,6                                                                               | -  | -                                                                                   | -     | 7                                                                                   |
|                                                                                                              | ½ modul, glatka ploča + otvoreni ormarić                                          |                                                                                   |                                                                                   |    |                                                                                     |       |                                                                                     |
| <br><br><b>K9EFB05VVR</b> | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 850                                      | 72                                                                                | 0,6                                                                               | -  | -                                                                                   | -     | 7                                                                                   |
|                                                                                                              | ½ modul, rebrasta ploča + otvoreni ormarić                                        |                                                                                   |                                                                                   |    |                                                                                     |       |                                                                                     |

# 900 Električni roštilji s udubljenom pločom za pečenje

| Model                                                                                                 |  |  |  |  |  |       |    |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|----|
|                                                                                                       | mm                                                                                | Kg                                                                                | m³                                                                                | kW                                                                                  | kcal/h                                                                              | Btu/h | kW |
| <br><br>K9EFB10TTL   | a 900<br>b 900<br>h 250                                                           | 93                                                                                | 0,5                                                                               | -                                                                                   | -                                                                                   | -     | 14 |
| 1 modul, glatka ploča, gornja jedinica                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| <br><br>K9EFB10TTR  | a 900<br>b 900<br>h 250                                                           | 93                                                                                | 0,5                                                                               | -                                                                                   | -                                                                                   | -     | 14 |
| ½ glatka ½ rebrasta ploča                                                                             |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| <br><br>K9EFB10VVL | a 900<br>b 900<br>h 850                                                           | 125                                                                               | 1,1                                                                               | -                                                                                   | -                                                                                   | -     | 14 |
| 1 modul, glatka ploča + otvoreni ormarić                                                              |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| Izorno<br>K9PORTA Vrata                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| <br><br>K9EFB10VVR | a 900<br>b 900<br>h 850                                                           | 125                                                                               | 1,1                                                                               | -                                                                                   | -                                                                                   | -     | 14 |
| ½ glatka ½ rebrasta ploča + otvoreni ormarić                                                          |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| Izorno<br>K9PORTA Vrata                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |

900

## Plinski roštilji s udubljenom pločom za pečenje

| Model                                                                                                  |  |  |  |    |  |       |  |
|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|
|                                                                                                        | mm                                                                                | Kg                                                                                | m³                                                                                | kW | kcal/h                                                                              | Btu/h | kW                                                                                  |
| <br><b>K9GFB05TTL</b> | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 250                                      | 58                                                                                | 0,3                                                                               | 8  | 6879                                                                                | 27300 | -                                                                                   |
| ½ modul, glatka ploča, gornja jedinica                                                                 |                                                                                   |                                                                                   |                                                                                   |    |                                                                                     |       |                                                                                     |

|                                                                                                         |                                              |    |     |   |      |       |   |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------|----|-----|---|------|-------|---|
| <br><b>K9GFB05TTR</b> | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 250 | 58 | 0,3 | 8 | 6879 | 27300 | - |
| ½ modul, rebrasta ploča, gornja jedinica                                                                |                                              |    |     |   |      |       |   |

|                                                                                                          |                                              |    |     |   |      |       |   |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------|----|-----|---|------|-------|---|
| <br><b>K9GFB05VVL</b> | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 850 | 69 | 0,6 | 8 | 6879 | 27300 | - |
| ½ modul, glatka ploča + otvoreni ormarić                                                                 |                                              |    |     |   |      |       |   |
| Izborno<br><b>K9PORTA</b> Vrata                                                                          |                                              |    |     |   |      |       |   |

|                                                                                                          |                                              |    |     |   |      |       |   |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------|----|-----|---|------|-------|---|
| <br><b>K9GFB05VVR</b> | <b>a</b> 900<br><b>b</b> 450<br><b>h</b> 850 | 69 | 0,6 | 8 | 6879 | 27300 | - |
| ½ modul, rebrasta ploča + otvoreni ormarić                                                               |                                              |    |     |   |      |       |   |
| Izborno<br><b>K9PORTA</b> Vrata                                                                          |                                              |    |     |   |      |       |   |

900

## Plinski roštilji s udubljenom pločom za pečenje

| Model                                                                                                 |  |  |  |  |  |       |    |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|----|
|                                                                                                       | mm                                                                                | Kg                                                                                | m³                                                                                | kW                                                                                  | kcal/h                                                                              | Btu/h | kW |
| <br><br>K9GFB10TTL   | a 900<br>b 900<br>h 250                                                           | 90                                                                                | 0,5                                                                               | 16                                                                                  | 13757,5                                                                             | 54624 | -  |
| 1 modul, glatka ploča, gornja jedinica                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| <br><br>K9GFB10TTR  | a 900<br>b 900<br>h 250                                                           | 90                                                                                | 0,5                                                                               | 16                                                                                  | 13757,5                                                                             | 54624 | -  |
| ½ glatka ½ rebrasta ploča, gornja jedinica                                                            |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| <br><br>K9GFB10VVL | a 900<br>b 900<br>h 850                                                           | 120                                                                               | 1,1                                                                               | 16                                                                                  | 13757,5                                                                             | 54624 | -  |
| 1 modul, glatka ploča + otvoreni ormarić                                                              |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| Izorno<br>K9PORTA Vrata                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| <br><br>K9GFB10VVR | a 900<br>b 900<br>h 850                                                           | 120                                                                               | 1,1                                                                               | 16                                                                                  | 13757,5                                                                             | 54624 | -  |
| ½ glatka ½ rebrasta ploča + otvoreni ormarić                                                          |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |
| Izorno<br>K9PORTA Vrata                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |       |    |