




Series 900

900 Plinska kuhala

Model							
	mm	Kg	m³	kW	kcal/h	Btu/h	kW
 K9GCU05TT	a 900 b 450 h 250	47	0,27	12	10320	40945	-
Plinsko kuhalo s 2 plamenika, gornja jedinica							
Standardno Ladica plamenika od nehrđajućeg čelika							
 K9GCU05VV	a 900 b 450 h 850	66	0,60	12	10320	40945	-
Plinsko kuhalo s 2 plamenika + otvoreni ormarić							
Standardno Ladica plamenika od nehrđajućeg čelika							
Izorno K9PORTA Vrata							
 K9GCU10TT	a 900 b 900 h 250	77	0,50	23	19776	78480	-
Plinsko kuhalo s 4 plamenika, gornja jedinica							
Standardno ladica plamenika od nehrđajućeg čelika							
Verzija visoke snage kW 28 K9GCU10TTP							
 K9GCU10VV	a 900 b 900 h 850	108	1,08	23	19776	78480	-
Plinsko kuhalo s 4 plamenika + otvoreni ormarić							
- Ladica plamenika od nehrđajućeg čelika							
Izorno K9PORTA Vrata							
Verzija visoke snage kW 28 K9GCU10VVP							

900 Plinska kuhala

Model							
	mm	Kg	m³	kW	kcal/h	Btu/h	kW
 K9GCU15TT	a 900 b 1350 h 250	118	0,73	35	30095	119430	-
Plinsko kuhalo s 6 plamenika, gornja jedinica							
Standardno Ladica plamenika od nehrđajućeg čelika							
 K9GCU15VV	a 900 b 1350 h 850	154	1,56	35	30095	119430	-
Plinsko kuhalo s 6 plamenika + otvoreni ormarić							
Standardno Ladica plamenika od nehrđajućeg čelika							
Izorno K9PORTA Vrata							
 K9GCU20VV	a 900 b 1800 h 850	209	2,05	47	40413	160400	-
Plinsko kuhalo s 8 plamenika + otvoreni ormarić							
Standardno Ladica plamenika od nehrđajućeg čelika							
Izorno K9PORTA Vrata							

900 Plinska kuhala

Model							
	mm	Kg	m³	kW	kcal/h	Btu/h	kW
 K9GCU10FF	a 900	155	1,08	31	26655	105800	-
	b 900						
	h 850						
	Plinsko kuhalo s 4 plamenika + plinska pećnica 2/1 GN						
Standardno Ladica plamenika od nehrđajućeg čelika Verzija visoke snage kW 36 K9GCU10FFP							
 K9MCU10FF	a 900	170	1,08	23	19776	78480	5,4
	b 900						
	h 850						
	Plinsko kuhalo s 4 plamenika + električna pećnica 2/1 GN						
Standardno -Ladica plamenika od nehrđajućeg čelika -Potplata pećnice od lijevanog željeza Verzija visoke snage kW 28 K9MCU10FFP							
 K9GCU15FF	a 900	211	1,56	43	36973	146700	-
	b 1350						
	h 850						
	Plinsko kuhalo s 6 plamenika + plinska pećnica 2/1 GN + ormarić s vratima						
Standardno -Ladica plamenika od nehrđajućeg čelika -Potplata pećnice od lijevanog željeza							
 K9MCU15FF	a 900	220	1,56	35	30095	119430	5,4
	b 1350						
	h 850						
	Plinsko kuhalo s 6 plamenika + električna pećnica 2/1 GN + ormarić s vratima						
Standardno -Ladica plamenika od nehrđajućeg čelika -Potplata pećnice od lijevanog željeza							

900 Plinska kuhala

Model							
 K9GCU15FFM	mm	Kg	m³	kW	kcal/h	Btu/h	kW
	a 900	223	1,56	47,5	40843	162165	-
	b 1350						
	h 850						
	Plinsko kuhalo s 6 plamenika + plinska pećnica 105x53 cm						
Standardno -Ladica plamenika od nehrđajućeg čelika -Potplata pećnice od lijevanog željeza							

 K9GCU20FF	a 900	301	2,05	63	54170	214960	-	
	b 1800							
	h 850							
	Plinsko kuhalo s 8 plamenika + 2 plinske pećnice 2/1 GN							
	Standardno -Ladica plamenika od nehrđajućeg čelika -Potplata pećnice od lijevanog željeza							

 K9MCU20FF	a 900	305	2,05	47	40413	160400	10,8	
	b 1800							
	h 850							
	Plinsko kuhalo s 8 plamenika + 2 električne pećnice 2/1 GN							
	Standardno -Ladica plamenika od nehrđajućeg čelika -Potplata pećnice od lijevanog željeza							